Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(cach\$3 near4 (synchroniz\$3 updat\$3 refresh\$3 fresh\$3) and (prox\$3 near3 server\$1 near5 (list\$ subscrib\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 13:32
L1	3513	(proxy adj server) and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 10:36
L2	17	(cache\$1 near7 content\$1 near7 consisten\$4) and (server\$1 same prox\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:18
L3	8	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:17
L4	24286	(prox\$3 intermediat\$3) near5 server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:19
L5	53455	(content\$3 near5 server\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:19
L6	6839	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2007/12/03 10:19
L7	965	6 and (consisten\$5 synchroniz\$3 replica\$5) near5 server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:20
L8	346	7 and cach\$3 near5 (updat\$3 subscrib\$5 synchroniz\$3 replica\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:21
L9	14	8 and cach\$3 near5 (updat\$3 subscrib\$5 synchroniz\$3 replica\$5) near5 lis\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:21

L11	29	(US-20020016828-\$).did. or (US-5787470-\$ or US-6256747-\$ or US-6173311-\$ or US-6138162-\$ or US-6038601-\$ or US-6477543-\$ or US-6128648-\$ or US-6263369-\$ or US-5931904-\$ or US-6182111-\$ or US-6219676-\$ or US-5734898-\$ or US-6343323-\$ or US-6260061-\$ or US-6343323-\$ or US-6377991-\$ or US-6389422-\$ or US-6377991-\$ or US-6343350-\$ or US-6212565-\$ or US-6324565-\$).did. or (JP-10222411-\$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/12/03 10:29
L13	0	11 and proxy\$3 near5 server near5 updat\$3 near5 notif\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/12/03 10:46
L15	1	11 and content\$3 near5 server near5 updat\$3 near5 notif\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/12/03 10:30
L16	1	11 and cach\$3 near5 server near5 updat\$3 near5 notif\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/12/03 10:34
L17	1	11 and proxy\$3 near5 server near5 subscrib\$5	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/12/03 10:32
L18	0	17 and updat\$3 near5 notif\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/12/03 10:35
L19	0	17 and chang\$3 near5 notif\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/12/03 10:35
L20	9	subscrib\$5 near5 cach\$4 near5 notif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 10:39
L21	0	subscrib\$5 near5 cach\$4 near5 consisten\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 10:38

L22	3295	cach\$4 near5 consisten\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 10:38
L23	15875	22 and cach\$4 near5 notif\$5 inform\$3 near5 (updat\$3 chang\$3 consisten\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 10:40
L24	179	22 and cach\$4 near5 (notif\$5 inform\$3) near5 (updat\$3 chang\$3 consisten\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/12/03 10:48
L25	91	24 and cach\$4 near5 list\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 10:40
L26	17	25 and @ad<"19990804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/12/03 10:52
L27	10	11 and proxy\$3 near5 server near5 (list\$3 tabl\$3)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/12/03 10:49
L28	0	27 and server\$4 near5 (notif\$5 inform\$3) near5 (updat\$3 chang\$3 consisten\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 10:48
L29	0	27 and (notif\$5 inform\$3) near5 (updat\$3 chang\$3 consisten\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 10:48
L30	0	27 and (notif\$5 inform\$3) near5 (updat\$3 discard\$3 delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 10:52
L31	846	proxy\$3 near5 server near5 (list\$3 tabl\$3)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/12/03 10:49
L32	39	31 and (notif\$5 inform\$3) near5 (updat\$3 discard\$3 delet\$3 chang\$3) near5 (server\$3 prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 10:52

L33	1	32 and @ad<"19990804"	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2007/12/03 10:53
S1	218	709/235.ccls.	IBM_TDB US-PGPUB;	OR	OFF	2005/04/07 15:57
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S2	780	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/27 15:56
S3	. 31	web adj cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2003/03/11 14:54
S4	72	web near cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/10/02 14:37
S5	473	web and URL and HTTP and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 08:58
S6	214	(web and URL and HTTP and cache) and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 09:00
S7	188	((web and URL and HTTP and cache) and proxy) and content\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 09:02
S8	0	(((web and URL and HTTP and cache) and proxy) and content\$2) and DWS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 09:28
S9	27	(((web and URL and HTTP and cache) and proxy) and content\$2) and (HTTP adj GET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:09

S10	. 2	web adj cache adj consisten\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2001/09/28 09:54
S11	103	cache near prox\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 09:55
S12	2	web near cache near prox\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 09:59
S13		HTTP adj PUT adj DWS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:00
S14	0	HTTP adj GET adj IMS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:00
S15	0	HTTP adj GET adj DWS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:01
S16	0	HTTP adj DWS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:01
S17	0	HTTP near DWS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:02
S18	0	DWS and HTTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:02
S19	0	DWS and WEB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:02

	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	<del></del>	,		
S20	0	HTTP adj GET adj IMS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:04
S21	288	(proxy adj server) and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 10:16
S22	229	((proxy adj server) and cache) and web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:06
S23	159	(((proxy adj server) and cache) and web) and HTTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:06
S24	19	((((proxy adj server) and cache) and web ) and HTTP) and consistency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:08
S25	277	(cache and (web) and prox\$2) and HTTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:15
S26	267	((cache and (web) and prox\$2) and HTTP) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:16
S27	264	(((cache and (web) and prox\$2) and HTTP) and request) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:10
S28	156	(((cache and (web) and prox\$2) and HTTP) and request) and update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:17
S29	149	((((cache and (web) and prox\$2) and HTTP) and request) and update) and chang\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:18

S30	149	(((((cache and (web) and prox\$2) and HTTP) and request) and update) and chang\$5) and server\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:19
S31	137	((((((cache and (web) and prox\$2) and HTTP) and request) and update) and chang\$5) and server\$2) and content\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:20
S32	131	(((((((cache and (web) and prox\$2) and HTTP) and request) and update) and chang\$5) and server\$2) and content\$2) and client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:20
S33	46	((((((((cache and (web) and prox\$2) and HTTP) and request) and update) and chang\$5) and server\$2) and content\$2) and client) and discard\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 10:21
S34	2	("5734831").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/09/28 15:02
S35	1	proxy adj server adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2001/09/28 16:10
S36	23	(synchroniz\$7 near5 cach\$3) and HTTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/10/01 09:54
S37	36	((synchroniz\$7 or update\$3) near5 cach\$3) and HTTP same (multipl\$3 or pluralit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/10/01 09:55
S38	2	("6256747").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/10/02 14:20
S39	2	discard adj cache\$2 adj content\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/10/02 14:39

S40	12	update adj cache\$2 adj content\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/10/02 14:39
S41	148	cache\$1 near7 content\$1 near7 consisten\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 16:13
S42	5	(cache\$1 near7 content\$1 near7 consisten\$4) and (server\$1 same prox\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:16
S43	2	(cache\$1 near7 content\$1 near7 consisten\$4) and (subscri\$6 near7 content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 15:18
S44	19	(cache\$1 near7 content\$1 near7 consisten\$4) and (server\$1 same client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 16:10
S45	4	(cache\$1 near7 content\$1 near7 consisten\$4) and (prox\$4 near5 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 16:11
S46	162	cache\$1 near10 content\$1 near10 consisten\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 16:12
S47	6	(cache\$1 near10 content\$1 near10 consisten\$4) and (prox\$5 near7 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 16:12
S48	379	cache\$1 same content\$1 same consisten\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 16:14
S49	15	(cache\$1 same content\$1 same consisten\$4) and (prox\$5 near5 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 16:21

S50	468	cache\$1 near7 content\$1 near7	US-PGPUB;	OR	ON	2002/10/10 10:32
		server\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB		,	
S51	2	(cache\$1 near7 content\$1 near7 server\$1) and (consisten\$5 near7 prox\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 16:26
S52	11	(cache\$1 near7 content\$1 near7 server\$1) and (prox\$5 near5 server\$1 near5 list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2002/10/09 16:28
S53	0	(cache\$1 near5 conten\$5 near5 consisten\$6) and (prox\$4 same content\$1 same server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/10 10:35
S54		(cache\$1 near5 conten\$5 near5 consisten\$6) and (prox\$4 same server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/10 10:56
S55	4	(cache\$1 near5 conten\$5 near5 consisten\$6) same server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/10 12:46
S56	0	(cache\$1 near5 conten\$5 near5 consisten\$6) same (prox\$3 near5 list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/10 12:46
S57	0	(cache\$1 near5 conten\$5 near5 consisten\$6) and (prox\$3 near5 list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/10 12:46
S58	121 ·	cache\$1 near5 conten\$5 near5 consisten\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:57
S59	28	web near4 cach\$4 near5 consisten\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:45

			r			]
S60	1337	cach\$4 near5 manager\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:19
S61	3	(cach\$4 near5 manager\$1) and (subscri\$6 near5 prox\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:19
S62	5	(cach\$4 near5 manager\$1) and (server\$4 near5 (updat\$4 or specif\$5) near5 consisten\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 14:50
S63	10	content\$1 near3 server\$1 near7 (spcifi\$5 or list\$4 or subscri\$6) near5 prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 14:53
S64	. 0	prxo\$4 near3 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF .	2003/03/11 14:55
S65	197	prox\$4 near3 server\$1 near5 (list\$4 or subscri\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/11 15:27
S66	350	(content\$1 near3 server\$1) same (prox\$4 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF · .	2003/03/11 15:01
S67	16	(prox\$4 near3 server\$1 near5 (list\$4 or subscri\$6)) and (content\$1 near4 server\$1) and consisten\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/11 14:58
S68	54	((content\$1 near3 server\$1) same (prox\$4 near3 server\$1)) and ((specif\$4 or list\$4) near5 prox\$4 near5 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/11 15:03
S69	5997	cach\$4 near5 manage\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:19

S70	8	(cach\$4 near5 manage\$5) and (subscri\$6 near5 prox\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:20
S71	67	(prox\$4 near3 server\$1 near5 (list\$4 or subscri\$6)) and (cach\$4 near5 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/11 15:29
S72	105	web near4 cach\$4 near5 manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:46
S73	1	(web near4 cach\$4 near5 manag\$5 ) and (list\$4 near5 prox\$4 near5 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:48
S74	0	(web near4 cach\$4 near5 manag\$5 ) and (list\$4 near5 subscri\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:48
S75	3	(web near4 cach\$4 near5 manag\$5 ) and (list\$4 near5 local)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:49
S76	150	server\$1 near5 list\$4 near5 prox\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:50
S77	145	server\$1 near5 list\$4 near5 prox\$4 near3 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:50
S78	35	(server\$1 near5 list\$4 near5 prox\$4 near3 server\$1) and (content\$1 near4 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:55
S79	5422	cach\$4 near4 content\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:56

S80	319	cach\$4 near4 content\$4 near5 manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:56
S81	0	(cach\$4 near4 content\$4 near5 manag\$5) same(subscri\$6 same consisten\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2003/03/11 15:58
S82	0	(cach\$4 near4 content\$4 near5 manag\$5) same (subscri\$6 same consisten\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2003/03/11 15:58
S83	48	(cach\$4 near4 content\$4 near5 manag\$5) and (subscri\$6 and consisten\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 15:58
S84	7	chach\$4 near4 coheren\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 16:08
S85	3645	cach\$4 near4 coheren\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 16:11
S86	3501	cach\$4 near3 coheren\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 16:11
S87	4	(cach\$4 near3 coheren\$6) and (prox\$4 near3 server\$1 near5 list\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/11 16:12
S88	26	content\$1 near5 consisten\$4 near5 server\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 12:13
S89	122	(list\$4 or specify\$4) near5 subscri\$6 near5 content\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 10:44

S90	3	((list\$4 or specify\$4) near5 subscri\$6 near5 content\$4) and (server\$4 near10 prox\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 10:46
S91	52 ·	((list\$4 or specify\$4) near5 subscri\$6 near5 content\$4) and ((server\$4 or client\$4) near5 content\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 10:47
S92	2	"6317786".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 11:00
S93	2	"6279001".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 11:00
S94	2	"6314463".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 11:01
S95	101	web\$4 near3 cach\$4 near10 manag\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 11:58
S96	46	(web\$4 near3 cach\$4 near10 manag\$6) and ((list\$4 or specify\$5 or subscrib\$5) near5 (prox\$4 or server\$1 or client\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 12:03
S97	8999	cach\$4 near5 prox\$4 server\$4 near5 list\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 12:04
S98	263	(cach\$4 near5 prox\$4 server\$4 near5 list\$4) and (subscrib\$6 near5 content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 12:08
S99	0	((cach\$4 near5 prox\$4 server\$4 near5 list\$4) and (subscrib\$6 near5 content\$1)) and (subcrip\$4 near3 manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 12:07

S10 0	0	((cach\$4 near5 prox\$4 server\$4 near5 list\$4) and (subscrib\$6 near5 content\$1)) and (subcrib\$4 near3 manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 12:07
S10 1	285	(cach\$4 near5 prox\$4 server\$4 near5 list\$4) and (notif\$4 near5 updat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 12:08
S10 2	22	((cach\$4 near5 prox\$4 server\$4 near5 list\$4) and (subscrib\$6 near5 content\$1)) and (notif\$4 near5 updat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 12:09
S10 3	5218	content\$1 adj2 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 12:14
S10 4	208	(content\$1 adj2 server\$1) same (prox\$4 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 12:15
S10 5	13	(content\$1 adj2 server\$1) same ((list\$4 or specif\$5) near5 prox\$4 near5 server\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 12:17
S10 6	6804	content\$4 adj3 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:31
S10 7	756	(content\$4 adj3 server\$1) and prox\$4 near3 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:40
S10 8	756	(content\$4 adj3 server\$1) and (prox\$4 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:33
S10 9	29	((content\$4 adj3 server\$1) and (prox\$4 near3 server\$1)) and ((spcif\$4 or list or subscri\$6) near5 content\$4 near5 file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:34

S11 0	303	prox\$4 near3 server\$1 near5 manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:41
S11 1	23	(prox\$4 near3 server\$1 near5 manag\$5) and (prox\$4 near3 server\$1 near3 list\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:42
S11 2	12	content\$1 near4 server\$4 near5 (list\$3 or subscri\$6) near5 prox\$3 near5 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/10 09:49
S11 3	205	server\$4 near5 (list\$3 or subscri\$6) near5 prox\$3 near5 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/10 09:49
S11 4	24	(server\$4 near5 (list\$3 or subscri\$6) near5 prox\$3 near5 server\$1) and (content\$1 near5 subscri\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/10 09:58
S11 5	6725	cach\$4 near5 (updat\$3 or synchroniz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/10 10:01
S11 6	345	(cach\$4 near5 (updat\$3 or synchroniz\$5)) and (server\$1 near5 (spcif\$5 or list\$3) near5 (server\$1 or client\$1 or subcri\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/10 10:02
S11 7	.7514 ·	cach\$4 near5 (updat\$3 or synchroniz\$5 or consisten\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/10 10:02
S11 8	377	(cach\$4 near5 (updat\$3 or synchroniz\$5 or consisten\$5)) and (server\$1 near5 (spcif\$5 or list\$3) near5 (server\$1 or client\$1 or subcri\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/10 10:02
S11 9	180	((cach\$4 near5 (updat\$3 or synchroniz\$5 or consisten\$5)) and (server\$1 near5 (spcif\$5 or list\$3) near5 (server\$1 or client\$1 or subcri\$6))) and ((notif\$5 or send\$4 or inform\$4 or updat\$4 or discard\$4) near5 updat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/10 10:05

S12 0	31	((cach\$4 near5 (updat\$3 or synchroniz\$5 or consisten\$5)) and (server\$1 near5 (spcif\$5 or list\$3) near5 (server\$1 or client\$1 or subcri\$6))) and ((notif\$5 or send\$4 or inform\$4 or updat\$4 or discard\$4) near5 updat\$4 near5 content\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/10 10:32
S12 1	1	"6205481".pn. and (list\$4 near5 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/10 11:06
S12 2	0	"6205481".pn. and (subscri\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/10 11:07
S12 3	1	"6205481".pn. and (content\$1 near10 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/15 13:39
S12 4	10	((content\$1 near3 server\$1) near6 (subscrib\$3 specif\$3 list\$1 display\$3 includ\$3) near5 (prox\$3 near3 server\$1)) and (cach\$3 near5 (updat\$4 discard\$3 synchroniz\$3 chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ΟŃ	2003/06/23 14:14
S12 5	54	((content\$1 near3 server\$1) near6 (subscrib\$3 specif\$3 list\$1 display\$3 includ\$3) near5 (prox\$3 near3 server\$1)) and (cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:50
S12 6	35	cach\$3 near5 (prox\$3 near3 server\$1) near5 manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:12
S12 7	6921	cach\$3 near5 manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:43
S12 8	8	(cach\$3 near5 manag\$5) and (prox\$3 near3 server near3 list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:13
S12 9	77	(content\$1 near3 server\$1) near6 (subscrib\$3 specif\$3 list\$1 display\$3 includ\$3) near5 (prox\$3 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2003/06/23 11:19

S13 0	80	prox\$3 near5 cach\$3 near5 manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:44
S13 1	14	(prox\$3 near5 cach\$3 near5 manag\$5) and (prox\$3 near5 list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:50
S13 2	6917	cach\$3 near4 (synchroniz\$3 updat\$3 refresh\$3 fresh\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:53
S13 3	14855	cach\$3 near3 control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 13:33
S13 4	128	(cach\$3 near3 control\$4) and (cach\$3 near5 server near5 prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 13:34
S13 5	9240	(cach\$3 near5 (updat\$4 discard\$3 synchroniz\$3 chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 14:16
S13 6	9929	(cach\$3 near5 (updat\$4 discard\$3 synchroniz\$3 chang\$3 consisten\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 14:16
S13 7	182	((cach\$3 near5 (updat\$4 discard\$3 synchroniz\$3 chang\$3 consisten\$3))) and ((list\$4 specif\$3 subscrib\$3 subscript\$3) near5 prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 14:18
S13 8	90	(((cach\$3 near5 (updat\$4 discard\$3 synchroniz\$3 chang\$3 consisten\$3))) and ((list\$4 specif\$3 subscrib\$3 subscript\$3) near5 prox\$3)) and (notif\$3 broadcast\$3) near5 (updat\$3 new chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 14:32
S13 9	37	server\$1 near5 cach\$3 near5 (client\$1 subscrib\$4) near3 list\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 14:34

		r	,	,		, · · · · · · · · · · · · · · · · · · ·
S14 0	29	(server\$1 near5 cach\$3 near5 (client\$1 subscrib\$4) near3 list\$1) and (updat\$3 synchroniz\$4 discard\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 14:39
S14 1	6829	cach\$3 near5 (updat\$3 synchroniz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 14:40
S14 2	496	(cach\$3 near5 (updat\$3 synchroniz\$4)) and (server\$1 same prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 14:48
S14 3	32	(cach\$3 near5 (updat\$3 synchroniz\$4)) and (server\$1 same (prox\$3 near5 list\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 14:41
S14 4	117	((cach\$3 near5 (updat\$3 synchroniz\$4)) and (server\$1 same prox\$3)) and (prox\$3 near4 (list\$3 specif\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 14:59
S14 5	49	cach\$3 near4 (prox\$3 near4 (list\$3 specif\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 15:45
S14 6	172	server\$3 near5 list\$4 near5 prox\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 15:46
S14 7	64	(server\$3 near5 list\$4 near5 prox\$4) and (cach\$3 near5 server\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 15:47
S14 8	609	cach\$3 near5 synchroniz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 07:29
S14 9	22	(cach\$3 near5 synchroniz\$4) and ((subscrib\$4 subscrip\$4) near5 cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 07:30

S15 0	23	discard near4 cach\$3 near4 content\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/25 08:12
S15 1	55	discard\$3 near4 cach\$3 near4 content\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2003/06/25 08:12
S15 2	890	((specif\$4 list\$3 show\$3 display\$3) near5 proxy\$3 near5 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/14 14:47
S15 3	28992	((specif\$4 list\$3 show\$3 display\$3) near5 client\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/14 14:25
S15 4	3	(((specif\$4 list\$3 show\$3 display\$3) near5 proxy\$3 near3 server\$1)) and (cach\$4 near5 (chang\$4 updat\$4) near5 (notif\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2003/10/14 14:28
S15 5	843	((specif\$4 list\$3 show\$3 display\$3) near5 proxy\$3 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/14 14:48
S15 6	417	((specif\$4 list\$3) near5 proxy\$3 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/14 14:50
S15 7	11	(content\$1 near3 server\$4 near5 (specif\$4 list\$3) near5 proxy\$3 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/14 14:51
S15 8	33	(content\$1 near5 server\$4 near5 (specif\$4 list\$3) near5 proxy\$3 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/14 14:51
S15 9	464	(server\$4 near5 (specif\$4 list\$3) near5 proxy\$3 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/14 14:53

S16 0	0	"6324565.pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2003/10/17 13:11
S16 1	0	"6324565.pn" and (content\$3 near10 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 13:11
S16 2	2	"6324565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 13:11
S16 3	2	"6324565".pn. and (content\$3 near10 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 13:19
S16 4	2	"6324565".pn. and (network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 13:13
S16 5	1	"6324565".pn. and (cache\$2 near5 content\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 13:20
S16 6	1383	HTTP near5 get	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:18
S16 7		(HTTP near5 get) same (subs\$6 near5 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:09
S16 8	3711	"6377991.pn" aand (http near7 get\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:15
S16 9	0	"6377991".pn. and (http near7 get\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:17

S17 0	1	"6377991".pn. and (http same get\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:15
S17 1	1028	HTTP near2 get	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:19
S17 2	18	(HTTP near2 get) same (cach\$3 same header\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:40
S17 3	108525	cach\$4 near5 updat\$4 notif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:41
S17 4	97	cach\$4 near5 updat\$4 near5 notif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:41
S17 5	3	"65" same (popular\$4 near5 file\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:42
S17 6	0	(cach\$4 near5 updat\$4 near5 notif\$5) same (popular\$4 near5 file\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:42
S17 7	0	(cach\$4 near5 updat\$4 near5 notif\$5) same (hit\$4 near5 file\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/17 14:42
S17 8	4	(cach\$4 near5 updat\$4 near5 notif\$5) same (hit\$4 near5 cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2003/10/17 14:42
S17 9	1	"6324565".pn. and (web\$4 same cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 10:07

S18 0	549	popular\$3 near5 file\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 10:11
S18 1	35	(popular\$3 near5 file\$3) same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 10:09
S18 2	210	popular\$3 near5 cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 10:15
S18 3	9	(popular\$3 near5 cach\$3) and ((updat\$4 chang\$4) near6 notif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 15:09
S18 4	0	popular\$3 near5 cach\$3 near5 (updat\$4 chang\$4) near5 notif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 10:46
S18 5	150	cach\$3 near5 (updat\$4 chang\$4) near5 notif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 10:16
S18 6	6	(cach\$3 near5 (updat\$4 chang\$4) near5 notif\$4) and (popular\$3 near5 cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 15:10
S18 7	0	popular\$3 near5 cach\$3 near5 notif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 10:46
S18 8	2	popular\$3 near5 cach\$3 near5 subscri\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 10:47
S18 9	246	cach\$3 near5 subscri\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 11:01

$\overline{}$				· · · · · · · · · · · · · · · · · · ·		
S19 0	17	(cach\$3 near5 subscri\$4) and (popular\$4 near5 cach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2003/10/22 10:48
S19 1	0	only near9 popular\$3 near4 cach\$3 near5 subscri\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 11:02
S19 2	2	popular\$3 near4 cach\$3 near5 subscri\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 11:02
S19 3	0	old\$3 near4 cach\$3 near5 subscri\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 11:02
S19 4	162	((((proxy near5 server) and cache) and web) and HTTP) and consistency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:08
S19 5	150	((((proxy near3 server) and cache) and web) and HTTP) and consistency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:09
S19 6	10	(popular\$2 near5 cach\$3) and ((updat\$4 chang\$4) near6 notif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 15:10
S19 7	161	(((web and URL and HTTP and cache) and proxy) and content\$3) and (HTTP adj GET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:10
S19 8	161	(((web and URL and HTTP and cache) and proxy) and content\$4) and (HTTP adj GET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:10
S19 9	1860	(((cache and (web) and prox\$4) and HTTP) and request) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:10

		, <u>, , , , , , , , , , , , , , , , , , </u>				
S20 0	7	(cach\$2 near5 (updat\$4 chang\$4) near5 notif\$4) and (popular\$3 near5 cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 15:11
S20 1	19	cach\$4 near5 popular\$4 near5 file\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 15:58
S20 2	2356	http near5 get	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 15:04
S20 3	0	S202 near5 sub\$3 near5 head\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 15:06
S20 4	30	S202 and sub\$3 near5 head\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 15:06
S20 5	0	(list\$3 tabl\$3 member\$3) near5 prox\$3 near5 server\$3 near5 (subscirb\$3 subscrip\$5) near5 cach\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 10:18
S20 6	731	(list\$3 tabl\$3 member\$3) near5 prox\$3 near5 server\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/22 10:18
S20 7	. 217	(subscirb\$3 subscrip\$5) near5 cach\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 10:18
S20 8	4	S206 and S207	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 10:20

S20 9		"6038601".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 10:21
S21 0	241747	S209 ans prox\$3 same server\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 10:21
S21 1	1	S209 and prox\$3 same server\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 10:21
S21 2	1	S211 and list\$3 same (subscrib\$3 subscrip\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR-	ON	2007/01/22 10:30
S21 3	1	S211 and list\$3 same (subscrib\$3 subscrip\$5) same prox\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 10:27
S21 4	0	S211 and tabl\$3 same (subscrib\$3 subscrip\$5) same prox\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 10:27
S21 5	1	S211 and prox\$3 same (subscrib\$3 subscrip\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 10:30



Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Siten

#### Welcome United States Patent and Trademark Office

☐ Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

SUPPORT

Results for "((proxy <and> server <and> content <and> consistency <and> list )<in>m..."

. e-mail 🚑 ρι

Your search matched 0 of 1692897 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

View Session History

**New Search** 

» Key

IEEE JNL

IEEE Journal or

Magazine

**IET JNL IEEE CNF** 

IEEE Conference

IET Journal or Magazine

Proceeding

**IET CNF** 

**IET Conference** 

Proceeding

IEEE STD IEEE Standard

**Modify Search** 

((proxy <and> server <and> content <and> consistency <and> list )<in>metadata)

Search >

Check to search only within this results set Display Format:

IEEE/IET

**Books** 

**Educational Courses** 

**Application Not** 

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

Select All Deselect All

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your.

Indexed by 可 inspec Help Contact Us Privacy & Securit



Home | Login | Logout | Access Information | Alerts | Purchase History |

Cart | Siten

#### Welcome United States Patent and Trademark Office

☐ Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

**SUPPORT** 

Results for "((proxy <and> server <and> content <and> consistency <and> list <and> ..."

⊠e-mail 🖺 pı

Your search matched 0 of 1692897 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

View Session History

New Search

» Key

IEEE JNL IEEE Journal or

Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IET CNF IET Conference

Proceeding

IEEE STD IEEE Standard

**Modify Search** 

((proxy <and> server <and> content <and> consistency <and> list <and> notify)<in>r

Check to search only within this results set

Display Format: © Citation C Citation & Abstract

IEEE/IET

**Books** 

**Educational Courses** 

**Application Not** 

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

႕ view selected items |

Select All Deselect All

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your

Indexed by

Help Contact Us Privacy & Securil

Search >



Home | Login | Logout | Access Information | Alerts | Purchase History |

Cart | Siten

#### **Welcome United States Patent and Trademark Office**

☐ Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

SUPPORT

Results for "((proxy <and> server <and> content <and> consistency <and> list <and> ..."

☑e-mail 📇 pı

Your search matched 0 of 1692897 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

View Session History

**New Search** 

» Key

IEEE JNL

IEEE Journal or Magazine

**IET JNL** IET Journal or Magazine **IEEE CNF** 

IEEE Conference

Proceeding

**IET CNF** 

IET Conference

Proceeding

IEEE STD IEEE Standard

**Modify Search** 

((proxy <and> server <and> content <and> consistency <and> list <and> notify <and

Check to search only within this results set

Display Format:

IEEE/IET

**Books** 

**Educational Courses** 

**Application Not** 

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

Select All Deselect All

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your

Indexed by ់ថ្មី Inspec° Help Contact Us Privacy & Securit



Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Siten

#### Welcome United States Patent and Trademark Office

☐ Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

**SUPPORT** 

Results for "((proxy <and> server <and> content <and> consistency <and> subscribe)<in&..."

☑e-mail 🖶 pı

Your search matched 0 of 1692897 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

View Session History

**New Search** 

» Key

IEEE JNL IEEE Journal or

Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IET CNF IET Conference

Proceeding

IEEE STD IEEE Standard

**Modify Search** 

((proxy <and> server <and> content <and> consistency <and> subscribe)<in>metada

Check to search only within this results set

Display Format: © Citation C Citation & Abstract

IEEE/IET

**Books** 

**Educational Courses** 

**Application Not** 

Search >

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

view selected items

Select All Deselect All

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your

indexed by inspec\*

Help Contact Us Privacy & Securil

Results (page 1): +abstract:proxy +abstract:<and> +abstract:server +abstract:<and... Page 1 of 2



Subscribe (Full Service) Register (Limited Service, Free) Login

• The ACM Digital Library C The Guide

+abstract:proxy +abstract:<and> +abstract:server +abstract





Feedback Report a problem Satisfaction survey

Terms used: proxy and server and content consistency cache

window

Found 3 of 215.737

Sort results

results


relevance by Display expanded form

Save results to a Binder ? Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 3 of 3

1 Aging through cascaded caches: performance issues in the distribution of web



content

Edith Cohen, Haim Kaplan

August 2001 ACM SIGCOMM Computer Communication Review, Proceedings of the 2001 conference on Applications, technologies, architectures, and protocols for computer communications SIGCOMM '01, Volume 31 Issue 4

Publisher: ACM Press

Full text available: pdf(327.13 KB)

Additional Information: full citation, abstract, references, citings, index

The Web is a distributed system, where data is stored and disseminated from both origin servers and caches. Origin servers provide the most up-to-date copy whereas caches store and serve copies that had been cached for a while. Origin servers do not maintain per-client state, and weak-consistency of cached copies is maintained by the origin server attaching to each copy an expiration time. Typically, the lifetime-duration of an object is fixed, and as a result, a copy fetched direc ...

2 Performance: Cooperative leases: scalable consistency maintenance in content



distribution networks

Anoop Ninan, Purushottam Kulkarni, Prashant Shenoy, Krithi Ramamritham, Renu Tewari May 2002 Proceedings of the 11th international conference on World Wide Web WWW '02

Publisher: ACM Press

Full text available: pdf(201.14 KB)

Additional Information: full citation, abstract, references, citings, index terms

In this paper, we argue that cache consistency mechanisms designed for stand-alone proxies do not scale to the large number of proxies in a content distribution network and are not flexible enough to allow consistency guarantees to be tailored to object needs. To meet the twin challenges of scalability and flexibility, we introduce the notion of cooperative consistency along with a mechanism, called cooperative leases, to achieve it. By supporting &Dgr;-consistency semantics and by using ...

**Keywords**: content distribution networks, data consistency, data dissemination, dynamic data, leases, pullC, push, scalability, world wide web

The content and access dynamics of a busy Web site: findings and implications

Venkata N. Padmanabhan, Lili Qiu

August 2000 ACM SIGCOMM Computer Communication Review, Proceedings of the conference on Applications, Technologies, Architectures, and Protocols for Computer Communication SIGCOMM '00, Volume 30 Issue 4

Publisher: ACM Press



Search: • The ACM Digital Library • The Guide

+abstract:proxy +abstract:<and> +abstract:server +abstract



### Nothing Found

Your search for +abstract:proxy +abstract:<and> +abstract:server +abstract:<and> +abstract:content +abstract:consistency +abstract:list +abstract:notify +abstract:update did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

### **Quick Tips**

• Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

• Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

• Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

 Narrow your searches by using a + if a search term <u>must appear</u> on a page.

museum +art

Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player





Search: • The ACM Digital Library • The Guide

+abstract:proxy +abstract:server +abstract:content +abstract



### **Nothing Found**

Your search for +abstract:proxy +abstract:server +abstract:content +abstract:consistency +abstract:cache +abstract:notify did not return any results.

You may want to try an <u>Advanced Search</u> for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

### **Quick Tips**

• Enter your search terms in <u>lower case</u> with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

• Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

• Enclose a <u>phrase</u> in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

 Narrow your searches by using a + if a search term <u>must appear</u> on a page.

museum +art

• Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player







Search: • The ACM Digital Library • The Guide

+abstract:proxy +abstract:server +abstract:content +abstract



### **Nothing Found**

Your search for +abstract:proxy +abstract:server +abstract:content +abstract:consistency +abstract:cache +abstract:notify +abstract:update did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

### **Quick Tips**

• Enter your search terms in <u>lower case</u> with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

• Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

Enclose a <u>phrase</u> in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

 Narrow your searches by using a + if a search term must appear on a page.

museum +art

Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us









Search: • The ACM Digital Library • The Guide

+abstract:proxy +abstract:server +abstract:content +abstract

### **Nothing Found**

Your search for +abstract:proxy +abstract:server +abstract:content +abstract:consistency +abstract:cache +abstract:notify +abstract:update +abstract:list did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

### **Quick Tips**

Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

• Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

• Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

 Narrow your searches by using a + if a search term <u>must appear</u> on a page.

museum +art

• Exclude pages by using a - if a search term <u>must not appear</u> on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player





Web Images Maps News Products Gmail more ▼

<u>Sign in</u>

<u>Google</u>

proxy server content consistency cache not Search

Web Results 1 - 10 of about 12,100 English pages for proxy server content consistency cache notify update list. (0.20 se

Cooperative Leases: Scalable Consistency Maintenance in Content ... at which the server agrees to notify a proxy of updates to an object. ... While leases is a pure server-based approach to cache consistency, ... www2002.org/CDROM/refereed/634/ - 99k - Cached - Similar pages

Cooperative Leases: Scalable Consistency Maintenance in Content ... Apache web server and the Squid proxy cache and demonstrate its ..... Local cache miss. Update membership list Sec 2.4. 3.1 Leader Selection ... portal.acm.org/ft\_gateway.cfm?id=511448&type=pdf&coll=portal&dl=ACM - Similar pages

### OCRed document

consistency between the server and the cache. Content stored at ..... Invalidation for Proxy Cache Coherency," Seventh International ... ieeexplore.ieee.org/iel5/8044/22225/01035390.pdf?arnumber=1035390 - Similar pages

Scalable **consistency** maintenance in **content** distribution networks ... Updates to the Object. In the event that the object is, modified at the server, each proxy caching the object needs, to be notified of the update. ... ieeexplore.ieee.org/iel5/69/27216/01209001.pdf?arnumber=1209001 - Similar pages [ More results from ieeexplore.ieee.org ]

Network Working Group M. Hamilton Internet-Draft JANET Web Cache ... The main goal is to enable proxy caching and content distribution of large .... and update redirects: in this scenario the RUP server would notify the RUP ... www3.ietf.org/proceedings/01mar/I-D/webi-rup-reqs-00.txt - 21k - Cached - Similar pages

Caching and Prefetching for Web Content Distribution

If t is the delay between the proxy and server, a strong consistency .... deployed reverse caches near the origin server to support dynamic content caching. ... doi.ieeecomputersociety.org/10.1109/MCSE.2004.5 - Similar pages

#### Re: pulish WCIP version 01

It thus enables proxy caching and content distribution of large amounts of ..... (2) ObjectVolume update: the invalidation server replies with the journal ... www.psg.com/lists/cdn/cdn.2001/msg00300.html - 28k - Cached - Similar pages

[PDF] Basis Token Consistency: Supporting Strong Web Cache Consistency File Format: PDF/Adobe Acrobat - View as HTML to proactively notify caches when content is modified. Unfor- .... Finally, this combined event list is fed to the server-cache. simulator. ... www.cs.bu.edu/fac/best/res/papers/gi02.pdf - Similar pages

#### nlanr caching workshop report

Summary: PCV yields fewer requests and connections between proxy and server: best combination of cache consistency and costs; can be implemented with HTTP ... workshop97.ircache.net/minutes.html - 43k - Cached - Similar pages

Evaluating a New Approach to Strong Web Cache Consistency with ... The Content Converter creates a list of updates for each object, keeping track of update time ..... Piggyback server invalidation for proxy cache coherency. ... www2003.org/cdrom/papers/refereed/p516/p516-mikhailov.html - 80k -Cached - Similar pages

Web Images Maps News Products Gmail

Sign in

Google

proxy server content consistency cache not Search

Web Results 1 - 10 of about 3,890 English pages for proxy server content consistency cache notify update list discard.

### OCRed document

flexible mechanism for the server to notify the cache of the change. ..... cache to discard the content. To update content stored in the ... ieeexplore ieee.org/iel5/8044/22225/01035390.pdf?arnumber=1035390 - Similar pages

### Re: pulish WCIP version 01

It thus enables proxy caching and content distribution of large amounts of ..... (2) ObjectVolume update: the invalidation server replies with the journal ... www.psq.com/lists/cdn/cdn.2001/msq00300.html - 28k - Cached - Similar pages

### Engineering server-driven consistency for large scale dynamic web ...

Through a simulation study that uses both server side access traces and update logs, we demonstrate that server-driven consistency allows clients to cache ... www10.org/cdrom/papers/264/ - 85k - Cached - Similar pages

### [PDF] Engineering Web Cache Consistency

File Format: PDF/Adobe Acrobat - View as HTML study that uses both server-side access traces and update logs, we demonstrate. that server-driven consistency allows clients to cache dynamic content with ... www.cs.utexas.edu/users/lorenzo/papers/toit.pdf - Similar pages

### Evaluation of Strong Consistency Web Caching Techniques

For the same consistency algorithm, a browser cache will, have different performance impact on the system compared to a proxy cache or server side. cache. ... www.springerlink.com/index/V3014N28L4315028.pdf - Similar pages

### webi: Re: pulish WCIP version 01

Cache consistency is a major impediment to scalable content > > delivery. ... server to the caching proxy, which then serves the document to end-... www.wrec.org/webi-archive/200103/0008.html - 48k - Cached - Similar pages

### System and method for achieving strong data consistency - Patent ...

When the writer/content provider wishes to update an object it contacts the ..... The server removes the cache from the holders list for the object when the ... www.freepatentsonline.com/20050108481.html - 79k - Cached - Similar pages

### A Scalable Web Cache Consistency Architecture\*

content the server thinks is most current. Thus, the most, practical goal is to merely limit ..... dition, we let each downstream cache notify its immediate ... portal.acm.org/citation.cfm?doid=316194.316219 - Similar pages

#### Web server content replication - US Patent 7035943

Also, it is helpful to identify content update failures, take a failed server out ...... The caching server can use this list to discard outdated content. ... www.patentstorm.us/patents/7035943-description.html - 116k - Cached - Similar pages

### [PS] A Scalable Web Cache Consistency Architecture

File Format: Adobe PostScript - View as Text

Keywords: Web proxy cache, web caching, cache consistency ...... If the pro forma has a newer modtime, invalidate page content, update ...

ftp://ftp.usc.edu/pub/csinfo/tech-reports/papers/99-708.ps.Z - Similar pages

Web Images Maps News Products Gmail more ▼

Sign in

Google

proxy server content consistency cache del

Search Advanced Search Preferences

Web Results 1 - 10 of about 3,570 English pages for proxy server content consistency cache delete notify update list dis

### **OCRed document**

flexible mechanism for the **server** to **notify** the **cache** of the change. ..... **cache** to **discard** the **content**. To **update content** stored in the ... ieeexplore.ieee.org/iel5/8044/22225/01035390.pdf?arnumber=1035390 - Similar pages

### Re: pulish WCIP version 01

Cache consistency of frequently changing objects is a major impediment to scalable ..... there is no synchronization request, just the server's update .... www.psg.com/lists/cdn/cdn.2001/msg00300.html - 28k - Cached - Similar pages

### System and method for achieving strong data consistency - Patent ...

When the writer/content provider wishes to update an object it contacts the ..... The server removes the cache from the holders list for the object when the ... www.freepatentsonline.com/20050108481.html - 79k - Cached - Similar pages

### System and method for achieving deferred invalidation consistency ...

The **content** and the destination node(s) of the notification of **update** ...... The **server** removes the **cache** from the holders **list** for the object when the ... www.freepatentsonline.com/20050108191.html - 93k - <u>Cached</u> - <u>Similar pages</u> [ <u>More results from www.freepatentsonline.com</u> ]

### webi: RE: pulish WCIP version 01

Cache consistency is a major impediment to scalable content delivery. ..... there is no synchronization request, just the server's update. ... www.wrec.org/webi-archive/200103/0006.html - 32k - Cached - Similar pages

#### webi: Re: pulish WCIP version 01

Cache consistency is a major impediment to scalable content > > delivery. ..... synchronization request, just the server's update. To account ... www.wrec.org/webi-archive/200103/0008.html - 48k - Cached - Similar pages [More results from www.wrec.org]

#### [PDF] Distributed Web Cache Final Report.doc

File Format: PDF/Adobe Acrobat - View as HTML

Manager. Content. Cache. Affinity. Manager. Web. Applications. Publisher and. Subscriber.

Network. Dispatcher. Update. Send. Store. Proxy and. Web Server ...

chrisandtrudi.com/Chris/Portfolio/Distributed%20Web%20Cache%20Final%20Report.pdf - Similar pages

### Evaluation of Strong Consistency Web Caching Techniques

object is changed on a Web **server**, it is the **server**'s responsibility to **notify** all the caches. who **cache** that object to **delete** their stale copies. ... www.springerlink.com/index/V3014N28L4315028.pdf - <u>Similar pages</u>

### A Scalable Web Cache Consistency Architecture\*

content the server thinks is most current. Thus, the most practical goal is to merely limit ..... dition, we let each downstream cache notify its immediate ... portal.acm.org/citation.cfm?doid=316194.316219 - Similar pages

### Web server content replication - US Patent 7035943

Distributed storage management system having a **cache server** and method therefor ...... The caching **server** can use this **list** to **discard** outdated **content**. ... www.patentstorm.us/patents/7035943-description.html - 116k - <u>Cached</u> - <u>Similar pages</u>